



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
P.O. Box 1450  
ALEXANDRIA, VA 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

Paper No. \_\_\_\_\_

Date : December 13, 2004  
TO : Director, Office of Patent Publication  
FROM : Office of the Deputy Commissioner  
for Patent Examination Policy  
SUBJECT : Withdrawal from Issue of Application No. 10/628,652

Applicant(s) : Kent Dirksen Kasper et al  
Application No. : 10/628,652  
Filed : July 28, 2003

The above-identified application has been assigned Patent No. 6,834,587 and an issue date of December 28, 2004.

It is hereby directed that this application be withdrawn from issue at the request of the applicants.

The following erratum should be published in the Official Gazette if the above-identified application is published in the OG of December 28, 2004:

"All reference to Patent No. 6,834,587 to Kent Dirksen Kasper et al of New Hampshire for FLUID SUPPLY DEVICE FOR A PRINTING MACHINE appearing in the Official Gazette of December 28, 2004 should be deleted since no patent was granted."

*Karen Creasy*  
Karen Creasy  
Petitions Examiner  
Office of Petitions  
Office of the Deputy Commissioner  
for Patent Examination Policy

cc: Paul Harrison, Crystal Park 3-441 (FAX-306-2737)  
Deneise Boyd, Crystal Park 2, Suite 1100 (FAX-308-5413)  
Mary Louise McAskill, Crystal Park 3-910 (FAX 305-4372)  
Niomni Farmer, Crystal Park 3-910 (FAX-305-4372)  
Mary E. Johnson (Cookie), P/OCS, CM1-6D07  
Duane Davis (CDS), CM1-6A07  
Tamara Greene, Crystal Park 3-908